



AFRISO-EURO-INDEX GmbH



















Lindenstr. 20  
 74363 Güglingen


Tel: +49 7135 102- 0  
 Fax: +49 7135 102-147

info@afriso.com  
 www.afriso.com




<b>1</b> Sicherheit Security Sécurité Sicurezza Seguridad Veiligheid Bezpieczeństwo Securitate			
 PROFESSIONAL			

<b>2</b> Produkt Product Produit Producto Prodotto Product Produkt Produkt									
	Art. No.								
 77700	77700	G 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar		
 77706	77706	A - G 3/8 B - G 1/2	≥ 20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar		
	77710	G 3/8	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar		
	77752	G 1/2	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar		
	77766	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar		
	77761	G 1/2	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar		
	77729	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar		
	77730	G 3/8	≥ -20 °C	≤ 95 °C	≤ 120 °C	≥ 0,2 bar	≤ 8 bar		
	77753	R 1/2 DIN 3858	≥ -20 °C	≤ 110 °C	≤ 120 °C	≥ 0,2 bar	≤ 12 bar		
	77900	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar		
	77996	G 3/8	≥ -20 °C	≤ 150 °C	≤ 170 °C	≥ 0,2 bar	≤ 6 bar		






**4** Betrieb Operation Service Operación Operazione Bedrijf Eksploatacja Operatie



**5** Wartung / Störungen Maintenance / malfunctions Maintenance / dérangements Mantenimiento / errores Manutenzione / errores Onderhoud / storingen Konserwacja / defeci Ințreținerea / defecțiunile





AFRISO

900.000.0508



für Sie bereitgestellt von

© Copyright -  offenseite.com